

IN THE MATTER OF THE PUBLIC HEALTH ACT – ALBERTA
ORDER OF AN EXECUTIVE OFFICER

To: Rusty's Bar & Grill
1151704 Alberta Ltd
Unit 7 5307 17 Av SW
Calgary, Alberta T3E 6S6
(the "**Owner**")

Michelle Boucher & M. Harley
Unit 7 5307 17 Av SW
Calgary, Alberta T3E 6S6
(the "**Owner**")

Re: The Food Establishment located in Calgary, Alberta and municipally described as:

Rusty's Bar & Grill
Unit 7 5307 17 Av SW
Calgary, Alberta

WHEREAS I, an **Executive Officer** of **Alberta Health Services**, have inspected the above noted Food Establishment pursuant to the provisions of the **Public Health Act**, RSA 2000, c. P-37, as amended;

AND WHEREAS such inspection disclosed that the following conditions exist in and about the above noted food establishment which are or may become injurious or dangerous to the public health or which might hinder the prevention or suppression of disease, namely:

- a. Grease trap was rusted on the bottom and sewer smell noted in the kitchen. Waste water was rising up from the floor tiles in front of the walk-in cooler

AND WHEREAS such inspection disclosed that the following breaches of the Public Health Act Food Regulation, Alberta Regulation 31/2006 and the Food Retail and Foodservices Code exist in and about the above noted food establishment, namely:

- a. Grease trap was rusted on the bottom and sewer smell noted in the kitchen. Waste water was rising up from the floor tiles in front of the walk-in cooler. This is in contravention of Section 28(3)(a)(b) of the Food Regulation.

AND WHEREAS by virtue of the foregoing, the above noted premises are hereby declared to be **closed**;

NOW THEREFORE, I hereby **ORDER** and **DIRECT**:

1. That the Owner immediately close the above noted food establishment
2. That the Owner undertake and diligently pursue the completion of the following work in and about the above noted food establishment, namely:
 - a. Ensure the kitchen sewage system is repaired and working as designed.
 - b. Ensure the kitchen floor is fixed.
 - c. Ensure all surfaces around the area are cleaned and sanitized.
3. That, until such time as the work referred to in paragraph 2 is completed to the satisfaction of the undersigned, or an executive officer of Alberta Health Services, the above noted premises shall remain closed.

Dated at Calgary, Alberta, this 17th day of June, 2010. in confirmation of a verbal order issued on the 16th day of June, 2010.

Joan Eng Fung
Executive Officer
Alberta Health Services

Section 5(2) of the Public Health Act provides that a person who is directly affected by this Order and considers himself or herself aggrieved hereby may appeal the same to the Public Health Appeal Board, 24th Floor, Telus Plaza North Tower, 10025 Jasper Avenue, Edmonton AB T5J 2N3, within ten (10) days. The terms of this Order remain in effect notwithstanding the filing or proposed filing of any such appeal.

The Owner is advised that the Public Health Act empowers Alberta Health Services to carry out the terms of this Order on the Owner's behalf and at the Owner's expense should the Owner fail to comply with the terms hereof.

Airdrie
Airdrie Public Health Centre
604 Main Street South
Airdrie, AB T4B 3K7
Phone: 403-912-8400
Fax: 403-912-8432

Banff
Banff Health Centre
303 Lynx Street
PO Box 1266
Banff, AB T1L 1B3
Phone: 403-762-2990
Fax: 403-762-5570

Calgary/Mountain View/Rocky View
Alberta Health Services, *Southport*
10101 Southport Rd SW
Calgary, AB T2W 3N2
Phone: 403-943-2288
Fax: 403-943-8056

Canmore
Canmore Public Health
#104, 800 Railway Avenue
Canmore, AB T1W 1P1
Phone: 403-678-5656
Fax: 403-678-5068

Claresholm
Claresholm Public Health
5221 2nd Street W
PO Box 1391
Claresholm, AB T0L 0T0
Phone: 403-625-4061
Fax: 403-625-4062

Didsbury
Didsbury Health Unit
PO Box 130
1210 -20th Avenue
Didsbury, AB T0M 0W0
Phone: 403-335-7292
Fax: 403-335-7610

Okotoks
Okotoks Public Health Centre
11 Cimarron Commons
Okotoks, AB T1S 2E9
Phone: 403-995-2600
Fax: 403-995-2639

Strathmore
Public Health Building
650 Westchester Road
Strathmore, AB T1P 1H8
Phone: 403-361-7200
Fax: 403-361-7244