

ORDER OF AN EXECUTIVE OFFICER NOTICE OF CLOSURE

To: Amy Wong
127-25 Avenue NW
Calgary, Alberta T2M 0C5

RE: Flamingo Palace Express
A-1161 Northmount Drive NW
Calgary, Alberta T2L 0C5

WHEREAS I, an **Executive Officer** of **Alberta Health Services**, have inspected the above premises pursuant to the provisions of the **Public Health Act**, RSA 2000, c. P-37, as amended;

AND WHEREAS such inspection disclosed that the following conditions exist in and about the above noted premises which are or may become injurious or dangerous to the public health or which might hinder the prevention or suppression of disease, namely:

- a. Food is being processed in a facility unsuitable for food production. Repairs/renovations are in progress and staff unable to prepare food in a safe and correct manner.
- b. All surfaces, including food preparation areas, walls, ceiling, shelving and floors are covered in dust and debris.
- c. Dirty cloths are scattered throughout facility and there is no sanitizer prepared in which cloths can be immersed between uses. Surfaces are not being sanitized.
- d. Food is being deep fried and creating grease laden vapors without the use of a working ventilation system.
- e. Meat is being deep fried directly underneath an electrical panel and next an unclean wall.
- f. The ceiling of the kitchen is in severe disrepair. A number of ceiling tiles are missing above cooking areas and wires are hanging down from ceiling.
- g. The back door opening up into the alley is being left open while staff is preparing food in the back room, allowing the possible entry of pests.
- h. There is a visible gap under the front door which may allow the entry of mice and other vermin.
- i. Entire facility is cluttered and disorganized, providing an environment that is ideal for the harbourage of vermin.
- j. Shelves holding food items are lined in dirty cardboard.

AND WHEREAS such inspection disclosed that the following breaches of the Public Health Act and the Regulations there under exist in and about the above noted premises, namely:

- a. Food is being processed in a facility unsuitable for food production. Repairs/renovations are in progress and staff unable to prepare food in a safe and correct manner. This contravenes Section 24 of the Food Regulation.
- b. All surfaces, including food preparation areas, walls, ceiling, shelving and floors are covered in dust and debris contravening Section 28(2) of the Food Regulation.
- c. Dirty cloths are scattered throughout facility and there is no sanitizer prepared in which cloths can be immersed between uses. Surfaces are not being sanitized. This contravenes Section 28(2) of the Food Regulation.
- d. Food is being deep fried and creating grease laden vapors without the use of a working ventilation system contravening Section 17(1)(f)(iv).
- e. Meat is being deep fried directly underneath an electrical panel and next to an unclean wall. This is in contravention of Section 24 of the Food Regulation.
- f. The ceiling of the kitchen is in severe disrepair. A number of ceiling tiles are missing above cooking areas and wires are hanging down from ceiling contravening Section 2.3(a) of the Food Retail and Foodservices Code.
- g. The back door opening up into the alley is being left open while staff is preparing food in the back room, allowing the possible entry of pests contravening Section 21(1) of the Food Regulation.
- h. There is a visible gap under the front door which may allow the entry of mice and other vermin contravening Section 21(1) of the Food Regulation.
- i. Entire facility is cluttered and disorganized, providing an environment that is ideal for the harbourage of vermin contravening Section 21(1) of the Food Regulation.
- j. Shelves holding food items are lined in dirty cardboard contravening Section 18(a) of the Food Regulation.

AND WHEREAS, by virtue of the foregoing, the above noted premises are hereby declared to be **Closed**.

NOW THEREFORE, I hereby **ORDER** and **DIRECT**:

1. That the Owner immediately close the above noted business.
2. That the owner immediately undertake and diligently pursue the completion of the following work in and about the above noted premises, namely:
 - a. All surfaces and equipment in this facility must immediately be cleaned and sanitized and must be maintained in a clean and sanitary state hereafter.
 - b. Sanitizer must be prepared and mixed at the correct concentration and available at all times during operation. Dirty rags must be immersed in the sanitizer when not in use.
 - c. The ventilation hood must be in proper working order and approved by the appropriate licensing authorities.
 - d. Repair and/or replace all damaged and missing ceiling tiles.
 - e. Wiring must be connected and placed in the proper location. All wiring must be approved by the appropriate licensing authorities.

- f. All outside doors must have proper seals, prevent the entry of vermin and must remain closed unless being used for entry/exit.
 - g. Ensure facility is organized and uncluttered.
 - h. Remove cardboard lining from shelves.
3. That until such time as the work referred to above is completed to the satisfaction of an Executive Officer of Alberta Health Services; the above noted premises shall remain closed.

The above conditions were noted at the time of inspection and may not necessarily reflect all deficiencies. You are advised that further work may be required to ensure full compliance with the Public Health Act and regulations, or to prevent a public health nuisance.

DATED at Calgary, Alberta, this 14th day of March.

Kara MacKay, CPHI(C)
Executive Officer
Environmental Health Officer
Calgary Health Region

You have the right to appeal

A person who a) is directly affected by a decision of a Regional Health Authority, and
b) feels himself aggrieved by the decision

may appeal the decision within ten (10) days after receiving the order to the Public Health Appeal Board located at 24th Floor, Telus Plaza, 10025 - Jasper Avenue, Edmonton, Alberta, T5J 1S6. Telephone (780) 427-2813.

The terms of this Order remain in effect notwithstanding the filing or proposed filing of any such appeal. If you appeal, you may also make an application to the Board for a stay of this Order pending the appeal.

A copy of the Public Health Appeal form may be obtained by contacting Alberta Health Services at (780) 342-0122, or the Public Health Appeal Board (780) 427-2813.

You are advised that all orders remain in effect pending such an appeal

Health Legislation, Regulations and Standards

Electronic versions of the Public Health Act and Regulations are available at the Alberta Queen's Printer Bookstore 10611 - 98 Avenue, Main Floor, Park Plaza, Edmonton, Alberta, T5K 2P7 or www.qp.gov.ab.ca.

Health Legislation and regulations are available for purchase. Please contact Alberta Queen's Printer Bookstore 10611 - 98 Avenue, Main Floor, Park Plaza, Edmonton, Alberta, T5K 2P7) or www.qp.gov.ab.ca.

Copies of standards are available by contacting the Health Protection Branch of Alberta Health & Wellness at (780) 427-4518, or by visiting: www.health.alberta.ca/about/health-legislation.html

Confirmation of an oral order issued to Amy Wong, at 4:00pm, March 11, 2011.

INACTIVE